Contractor Edition

IKO takes beauty and weather protection to new heights.



yrasty with ArmourZone


Limited Lifetime¹ Architectural Shingles

















Design your own roof with ROOF $Viewer^{TM}$

Start by visiting our website at www.iko.com and try our exclusive **RoofViewer™ Interactive Shingle Selector Tool**. You can select a style of home and accessorize it with different colors of roof and trim or even upload a picture of your actual house!







¹See Limited Warranty for complete terms, conditions, restrictions, and application requirements.

Get in the ArmourZone with IKO Dynasty™

There are three excellent and profitable reasons why you should "get in the ArmourZone" with IKO DynastyTM for your next roof replacement or remodeling project: Peace-of-mind for your prospect, ease of installation for your crew and upsell opportunities for you.

PEACE-OF-MIND

Your homeowner customers will enjoy the peace-of-mind IKO Dynasty[™] has to offer. Its ArmourZone improves product performance, making it the preferred choice for any environment.

- The Tear-resistant, reinforced woven band provides fastening strength over a greater surface area of the shingle, helping to prevent nail heads from pulling through the shingle in high winds. That's why IKO provides a Limited Wind Warranty for winds of up to 130 mph (210 km/h)¹ with the use of only four (4) nails. That's equal to a Category 4 hurricane on the Saffir-Simpson Hurricane Scale.
- Dynasty[™] shingles' extra weathering-asphalt coating adds weight for better performance and weather resistance.
- Algae Block ceramic copper coated granules. This built-in algae resistance inhibits algae growth, which can cause unsightly black stains on your roof.

- IKO's modified bitumen Fastlock sealant is specially formulated to be thick and aggressive. Five strips are used as part of the shingle construction; a single line along the back edge promotes a strong bond to the shingles below and extraordinary performance with radiant heat from the sun.
- 15-year IKO Iron Clad Protection¹
- Limited Lifetime Warranty¹

INSTALLATION-FRIENDLY

Your roofers will appreciate how easy Dynasty™ shingles are to install because:

- Dual nailing lines, top and bottom, 1-1/4" apart, guide installers to Dynasty[™] shingles' wider nailing surface for correct nail placement. Nails applied in this area ensure fastening power for proper product performance.
- IKO's "Advantage" sized shingles provide a full 100 square feet of coverage per 3 bundles. This lowers job costs associated with extra bundles and the labor to install them.

UPSELL OPPORTUNITIES


Increase your profit potential by upselling your homeowner customers on the advantages of using IKO Dynasty™ shingles with ArmourZone.

- When offered as an option to IKO's Cambridge, Royal Estate, Crowne Slate or ArmourShake shingles, you're providing homeowners with a "Good/Better/Best" product option package that differentiates you from the competition and allows them to get more involved in their roofing project.
- Seven beautiful, high-definition color blends help homeowners enhance curb appeal and separate their home from the rest of the neighborhood.

Choose IKO Dynasty™ with ArmourZone for your next roofing project.

¹See Limited Warranty for complete terms, conditions, restrictions, and application requirements.

Here's a closer look at how IKO Dynasty™ shingles with ArmourZone are built to perform.



THE IKO ADVANTAGE



Limited Warranty ¹	Limited Lifetime
Iron Clad Protection ¹	15 Years
Limited Wind Warranty ¹	130 mph (210 km/h)
Algae Resistant*	Yes

DYNASTY[™] PRODUCT SPECIFICATIONS

Length	40 7/8 in (1038 mm)	
Width	13 3/4 in (349 mm)	
	15 5/4 111 (545 11111)	
Exposure	5 7/8 in (149 mm)	
Coverage Per Bundle	33.3 ft ² (3.1 m ²)	
3 bundles = 1 full square - 100 sq ft coverage		

STANDARDS[†]

ASTM D3462	ASTM D7158 - Class H
ASTM D3018	CSA A123.5
ASTM D3161- Class F	
ASTM E108 - Class A	



Shingles alone are usually not enough to protect a home.

IKO has developed superior multi-layered roofing components incorporating our industry-leading products.



 Eave Protection - GoldShield, ArmourGard, or StormShield™ Ice & Water Protectors

IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

- 2. Underlayment RoofGard-Cool Grey or StormTite® Underlayment
 Use our innovative RoofGard-Cool Grey or StormTite® synthetic underlayment
 for total deck protection.
- **3. Roof Starters -** Leading Edge Plus Starter Strips
 Fast, easy and convenient. IKO's Starter Strips are already cut to size, saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.
- **4. Ridge Cap Shingles -** Hip & Ridge Plus, Hip & Ridge 12 or Ultra HP™ High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing the home's aesthetic appeal by accentuating the roof line.

Find out more about our products now by talking to an IKO Sales Representative or, contact us directly at: **United States 1-888-IKO-ROOF** (1-888-456-7663), **Canada 1-855-IKO-ROOF** (1-855-456-7663) or visit our website at: **www.iko.com**.

Note: Product availability may vary by region. All values shown for DynastyTM are approximate. †Product is designed and tested to comply with ASTM/ CSA standards at time of manufacture. †See Limited Warranty for complete terms, conditions, restrictions, and application requirements. *This article contains a preservative to prevent discoloration by algae.

Shingle Swatches and House Photography shown are as accurate as modern printing processes allow. Shingle swatches shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home. Be sure to look at the color sample of all material in natural sunlight, at different times of day to ensure that your color choices are complementary.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

